

Message

From: WoodHeaterReports [WoodHeaterReports@epa.gov]
Sent: 2/23/2022 3:18:03 PM
To: Seth Bailey [seth.bailey@ardisam.com]
CC: Scinta, Robert [scinta.robert@epa.gov]; Sanchez, Rafael [Sanchez.Rafael@epa.gov]; Miller, Anthony [Miller.Anthony@epa.gov]; Vizard, Elizabeth [Vizard.Elizabeth@epa.gov]
Subject: Re: Renewal of Certificate of Compliance Number 31-16 for the Castle Serenity 12327 Pellet Heater Model
Attachments: 2022.02.18_Ardisam Serenity Castle 12327 Renewal Cert 31-16.pdf

Mr. Bailey,

Thank you for contacting the U.S. Environmental Protection Agency (EPA). Your request to renew a Certificate of Compliance for the above-referenced model has been approved. See attachment. To promote transparency in implementing the Wood Heater Program, we suggest that you submit a copy of any revised test report and the web address where the test report is posted to WoodHeaterReports@epa.gov within ten (10) business days of posting the test report. If you have any questions, please let us know.

WoodHeaterReports on behalf of:

Rafael Sanchez, Ph.D.

Wood Heater Program Manager

Air Branch

Monitoring, Assistance, and Media Programs Division Office of Compliance U.S. Environmental Protection Agency (EPA)

Room 7149-D

1200 Pennsylvania Ave., NW

MS:2227A

Washington, DC 20460

Ph. 202-564-7028